

ASSI

ISO 9001:2015 CERTIFIED

D STAR-ELECTRA I PVT LTD

INDIA'S MOST TRUSTED & FASTEST GROWING BRAND IN AUTO CLEANING EQUIPMENTS

TECHNOLOGY IS A GIFT LETS USE IT GENTLY



ADDRESS: GAT NO 1567 SHELAARWASTI INDUSTRIAL AREA CHIKALI PIMPRI CHINCHWAD PUNE (M.S) 411062 +91-89831-99942/+91-78691-43542 SALES@STARELECTRA.COM WWW.STARELECTRA.COM



INDIA'S FIRST CENT PERCENT INDIAN MANUFACTURED AUTOMATIC BRUSH CAR WASH MACHINE


STAR ELECTRA SUPER NOVA

55 LITERS 15HP LOAD **6 MINIUTS**


PRE WASH SHAMPOO WASH **BRUSH WASH**


WHEEL BRUSHING CAR AUTO DRYER HMI TOUCH PANEL
















AUTOMATIC TOUCHLESS 360 CAR WASH MACHINE

ECO CAR WASH




ECO 360 CAR WASH



RIGID ECO / 360 CAR WASH








AUTOMATIC CAR DRYER MACHINE

STAR ELECTRA CAR DRYER



OPERATION

MACHINE DIMENTION

L 6MTR, W 3MTR H 3.5MTR

ELECTRICAL LOAD

30HP 3PHASE 415V NUTRAL EARTHING

AIR REQUIRMENTS NOT REQUIRED

TECHNICAL SPECIFICATION


RAIL TRACK DIMENSION

L 6MTR



AUTOMATIC EFFLUENT TREATMENT PLANT

STAR ELECTRA ETP



PLUG & PLAY USE

TECHNICAL SPECIFICATION

MACHINE DIMENTION

L 2MTR, W 1MTR H 2MTR

ELECTRICAL LOAD

1PHASE 230V NUTRAL EARTHING AIR REQUIRMENTS 6BAR COMPRESS AIR

WATER FILTER PER DAY 5-15KLD

5



AUTOMATIC BIKE WASH MACHINE

STAR ELECTRA BOX TYPE BIKE WASH



STAR ELECTRA OPEN TYPE BIKE WASH





RATE OF PRODUCTION IS HIGH

TECHNICAL SPECIFICATION

MACHINE DIMENTION

ELECTRICAL LOAD

AIR REQUIRMENTS

6BAR COMPRESS AIR

RAIL TRACK DIMENSION L 5.2MTR

L 6MTR, W 3MTR H 3.2MTR

12HP 3PHASE 415V NUTRAL EARTHING



EXTERIOR DETAILING MACHINES AND CHEMICALS

HAND TROLLY LANCE

6

DETALING CHEMICALS AND SHAMPOO



PRESSURE WASHER

FOAM DISPENSER





INTERIOR DETAILING MACHINES

INDUSTRIAL VACUUM CLEANER





VACUUM CLEANER

STEAM WASHER



MAT CLEANER



CAR LIFTS

SINGLE POST LIFT

SCISSOR LIFT



4 POST LIFT



2 POST LIFT



390



BIKE SERVICE RAMP



FLOOR CLEANER

	VISPA 35 E/B	L 20 E/B	ABILA 50 E/B	ANTEA 50 E/B
Scrubbing width (mm)	350	680	500	510
Brush dia (mm)	(1)350	510	(1)500	(1)510
Brush pressure (kg)	18/20	20/25	20/25	23
Productivity rate (sqm/h)	1050	1450	1750	1250
Solution tank (ltrs)	8/10	40	33	40
Recovery tank (ltrs)	10	40	40	60
Brush speed (rpm)	140	135	240/140	140
Voltage (V)	230/12	230/24	230/24	220/375, 24/500
Operating weight in kg (W/o batteries)	35/45	62	70	80
Battery (in B version) (V/Ah)	12/65	24/100	24/100	12/100(2)
Dimensions in mm (LxHxW)	620x1050x440	330x270x345	1226x960x455	1175x995x595

L-20





CAR LIFTS

WHEEL ALIGNMENT

WHEEL BALANCER



TYER CHANGER

TOOL TROLLY





STAR-ELECTRA

TECHNOLOGY IS A GIFT LETS USE IT GENTLY

D STAR ELECTRA I PVT LTD

AUTOMATION IS A SOLUTION & WE MAKE IT POSSIBLE

AUTO CLEANING MACHINERIES

Gat No. 1567 Shelarwasti Industrial Area Chikhli Pimpri-Chinchwad Pune (MH). 411062

+91-89831 99942 @ support@starelectra.com +91-20678 11422
www.starelectra.com



